9007C52B

Limit switch, 9007, 600 V 10amp c +options



Main

Device short name	С
Enclosure type	Compact
Series name	Heavy duty

Complementary

Complementary		
[ln] rated current	10 A	
Body material	Zinc alloy	
Contact code designation	A600 Q600	
Contacts material	Silver alloy (Ag/Ni)	
Contact operation	Snap action	
Maximum displacement angle	90 °	
Specificity of operator	Standard pre-travel	
Switch actuation	CW	
Tilting angle	10 °	
Torque value	0.5 N.m	
Tripping angle	4 °	

Environment

Ambient air temperature for operation	-20185 °F
Product certifications	CSA[RETURN]UL listed[RETURN]CE

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	25.806 cm
Package 1 Width	10.16 cm
Package 1 Length	65.548 cm
Package 1 Weight	480.808 g

Offer Sustainability

phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California	Environmental Disclosure	Product Environmental Profile
phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov	Circularity Profile	No need of specific recycling operations
For all Reach Rohs enquiries contact us at sustainability@tesensors.com	California proposition 65	and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to
	For all Reach Rohs enquiries contact us at	sustainability@tesensors.com