

Main

Body type	Standard
Contact block name	XE2SP2151
Device short name	XCKJ
Range of product	OsiSense
Series name	Heavy duty

Complementary

[Ith] conventional free air thermal current	10 A
Associated head	ZCKE05
Body material	Metal
Contact operation	Snap action
Height	137 mm
Positive opening	With
Net weight	0.49 kg
Switch actuation	CW and CCW
Torque value	33.3 ozf.in
Type of operator	Spring return rod lever steel round rod 3 mm

Environment

Ambient air temperature for operation	-13...158 °F
IP degree of protection	IP66
NEMA degree of protection	NEMA 1/2/4/12
Product certifications	CSA[RETURN]UL listed[RETURN]CE
Shock resistance	50 gn
Standards	CENELEC EN 50041
Vibration resistance	25 gn (f = 10...500 Hz)

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	317.515 g

Offer Sustainability

California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
For all Reach Rohs enquiries contact us at	sustainability@tesensors.com