

# XZCC8FCM40S

Female, M8, 4 pin, elbowed connector, cable gland M9.5 x 1



## Main

|                                   |                                                                |
|-----------------------------------|----------------------------------------------------------------|
| Range of product                  | Telemecanique Cabling components                               |
| Accessory / separate part categor | Cabling accessories                                            |
| Accessory / separate part type    | Connector                                                      |
| Electrical connection             | Elbowed female connector M8, 4 pins                            |
| Collar material                   | Metal                                                          |
| Status LED                        | Without                                                        |
| Cable connection                  | Solder terminal / wire size <0.25 mm² / clamping capacity 5 mm |

## Complementary

|                                |                    |
|--------------------------------|--------------------|
| Cable gland type               | M9.5               |
| Cable connector fixing         | Screw-on           |
| [Ue] rated operational voltage | 60 V AC<br>75 V DC |
| [In] rated current             | 4 A                |
| Enclosure material             | Plastic            |
| Minimum insulating resistance  | 1 GΩ               |
| Contact resistance             | 5000 µOhm          |
| Net weight                     | 0.01 kg            |

## Environment

|                                       |             |
|---------------------------------------|-------------|
| IP degree of protection               | IP67        |
| Ambient air temperature for operation | -40...85 °C |

## Packing Units

|                              |           |
|------------------------------|-----------|
| Unit Type of Package 1       | PCE       |
| Number of Units in Package 1 | 1         |
| Package 1 Height             | 1.900 cm  |
| Package 1 Width              | 2.400 cm  |
| Package 1 Length             | 7.200 cm  |
| Package 1 Weight             | 10.000 g  |
| Unit Type of Package 2       | S01       |
| Number of Units in Package 2 | 50        |
| Package 2 Height             | 15 cm     |
| Package 2 Width              | 15 cm     |
| Package 2 Length             | 40 cm     |
| Package 2 Weight             | 642.000 g |


## Offer Sustainability

|                                            |                                                                                                                                                                                                                                                                                                                                                                                   |
|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| California proposition 65                  | WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> |
| For all Reach Rohs enquiries contact us at | <a href="mailto:sustainability@tesensors.com">sustainability@tesensors.com</a>                                                                                                                                                                                                                                                                                                    |

## Contractual warranty

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

## Dimensions



(1) Cable gland : M9.5 x 1

---

## Connections and Schemes

---

