

ZCE02N

Limit switch head, Limit switches XC Standard,
ZCE, steel roller plunger



Main

Range of product	Telemecanique Limit switches XC Standard
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCE
Head type	Plunger head
Product compatibility	XCMD XCKP XCKD XCKT

Associated body	ZCT28G11 ZCT21G11 ZCD31 ZCMD25L1 ZCMD41L1 ZCMD21L08U78 ZCD29M12 ZCT27P16 ZCMD37L2 ZCMD25L5 ZCMD37L1 ZCD28 ZCMD81L2 ZCP37 ZCD21 ZCT21P16 ZCMD39L1 ZCD25 ZCT28P16 ZCD37 ZCMD21L5 ZCMD29L1 ZCMD21M12 ZCMD81L1 ZCD27 ZCP27 ZCMD21C12 ZCT21N12 ZCMD29L5 ZCMD61C12 ZCP21M12 ZCMD69C12 ZCT26P16 ZCT25N12 ZCP39 ZCP21 ZCT25P16 ZCP31 ZCP26 ZCMD29L2 ZCMD21L08R12 ZCMD41L2 ZCT26N12 ZCMD21L1 ZCP29 ZCD26 ZCT28N12 ZCP28 ZCD39 ZCT27N12 ZCT25G11 ZCT26G11 ZCD29 ZCMD29C12 ZCMD81L5 ZCMD21L2 ZCP29M12 ZCMD61M12 ZCMD41L5 ZCP35 ZCP25 ZCD21M12 ZCMD39L2 ZCT27G11 ZCMD39L5 ZCMD25L2 ZCMD37L5 ZCD35
Movement of operating head	Linear
Type of operator	Roller plunger spring return metal
Type of approach	Lateral approach, 2 directions

Complementary

Switch actuation	By 30° cam
Positive opening	With

Environment

Ambient air temperature for operation	-25...70 °C
Ambient air temperature for storage	-40...70 °C
Environmental characteristic	Standard environment

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.0 cm
Package 1 Width	1.5 cm
Package 1 Length	1.5 cm
Package 1 Weight	16.0 g
Unit Type of Package 2	S01
Number of Units in Package 2	1
Package 2 Height	15.0 cm
Package 2 Width	15.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	225.0 g
Unit Type of Package 3	BAG
Number of Units in Package 3	10
Package 3 Height	2.0 cm
Package 3 Width	14.0 cm
Package 3 Length	19.0 cm
Package 3 Weight	160.0 g

Offer Sustainability

California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
For all Reach Rohs enquiries contact us at	sustainability@tesensors.com