

ZCKD59

Limit switch head, Limit switches XC Standard,
ZCKD, thermoplastic round rod lever 6 mm L =
200 mm



Main

| | |
|---------------------------|--|
| Range of product | Telemecanique Limit switches XC Standard |
| Series name | Standard format |
| Product or component type | Limit switch head |
| Device short name | ZCKD |
| Head type | Rotary head |
| Product compatibility | XCKS XCKM XCKL |

| | |
|----------------------------|--|
| Associated body | ZCKS5H29 ZCKMD31H7 ZCKLD35H7 ZCKMD39H7 ZCKMD35 ZCKS9H29 ZCKS1H29 ZCKL6H7 ZCKS5 ZCKS1 ZCKLD35 ZCKL5H7 ZCKS6H29 ZCKM5H7 ZCKSD35 ZCKLD31 ZCKM8 ZCKMD37 ZCKM7H29 ZCKS6 ZCKS7H29 ZCKM1H7 ZCKS9 ZCKS2H29 ZCKM8H29 ZCKLD37 ZCKLD39H7 ZCKMD39H29 ZCKSD35H29 ZCKM6H29 ZCKMD31 ZCKLD39 ZCKSD39 ZCKMD31H29 ZCKM9 ZCKLD37H7 ZCKL5 ZCKM1H29 ZCKM6 ZCKS2 ZCKSD39H29 ZCKS8 ZCKL6 ZCKMD35H7 ZCKSD31H29 ZCKS7 ZCKSD31 ZCKM6H7 ZCKM5 ZCKMD39 ZCKM9H29 ZCKMD35H29 ZCKL1H7 ZCKL7 ZCKM7H7 ZCKL8 ZCKM8H7 ZCKL7H7 ZCKL1 ZCKSD37 ZCKL8H7 ZCKLD31H7 ZCKSD37H29 ZCKM5H29 ZCKM1 ZCKS8H29 ZCKMD37H29 ZCKMD37H7 ZCKM7 |
| Movement of operating head | Rotary |
| Type of operator | Rod lever spring return glass fiber (round rod 6 mm, L = 200 mm) |
| Type of approach | Lateral approach, 2 directions |

Complementary

| | |
|------------------|--------------------|
| Switch actuation | By any moving part |
| Positive opening | Without |
| Head material | Plastic |

Environment

| | |
|---------------------------------------|----------------------|
| Ambient air temperature for operation | -25...70 °C |
| Ambient air temperature for storage | -40...70 °C |
| Environmental characteristic | Standard environment |

Packing Units

| | |
|------------------------------|-----------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 3.400 cm |
| Package 1 Width | 6.800 cm |
| Package 1 Length | 22.100 cm |
| Package 1 Weight | 106.000 g |
| Unit Type of Package 2 | S02 |
| Number of Units in Package 2 | 18 |
| Package 2 Height | 15.000 cm |
| Package 2 Width | 30.000 cm |
| Package 2 Length | 40.000 cm |
| Package 2 Weight | 2.359 kg |

Offer Sustainability

| | |
|--|---|
| Sustainable offer status | Green Premium product |
| Circularity Profile | No need of specific recycling operations |
| California proposition 65 | WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |
| For all Reach Rohs enquiries contact us at | sustainability@tesensors.com |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|