



主要信息

产品系列	Telemecanique Limit switches XC Standard
系列号	标准型
产品类型	限位开关头部
产品短名	ZCE
操纵头类型	旋转头
产品适用范围	XCKD XCKP XCKT XCMD
相连的杠杆	ZCY45 ZCY53 ZCY44 ZCY69 ZCY46 ZCY18 ZCY49 ZCY26 ZCY81 ZCY22 ZCY23 ZCY91 ZCY48 ZCY39 ZCY17 ZCY12 ZCY16 ZCY25 ZCY15 ZCY59 ZCY54 ZCY55 ZCY19

关联本体	ZCMD41L5
	ZCMD39L2
	ZCT26P16
	ZCMD69C12
	ZCT28N12
	ZCD21
	ZCMD61C12
	ZCP25
	ZCT28P16
	ZCD37
	ZCT25G11
	ZCP21
	ZCMD25L5
	ZCMD39L5
	ZCT28G11
	ZCT26G11
	ZCMD37L5
	ZCMD81L5
	ZCT27P16
	ZCP29M12
	ZCP31
	ZCP21M12
	ZCP37
	ZCMD25L2
	ZCMD21M12
	ZCT27N12
	ZCMD21L08R12
	ZCD26
	ZCT25P16
	ZCMD21L08U78
	ZCMD41L1
	ZCMD37L1
	ZCP27
	ZCMD37L2
	ZCMD41L2
	ZCP28
	ZCT21P16
	ZCD39
	ZCMD21C12
	ZCMD21L1
	ZCD28
	ZCT21G11
	ZCMD61M12
	ZCP35
	ZCD31
	ZCMD25L1
	ZCP26
	ZCT26N12
	ZCMD39L1
	ZCP29
	ZCD25
	ZCT21N12
	ZCD29M12
	ZCD21M12
	ZCMD81L2
	ZCMD21L5
	ZCP39
	ZCMD81L1
	ZCMD29L1
	ZCT27G11
	ZCD29
	ZCMD29L5
	ZCD27
	ZCMD21L2
	ZCMD29C12
	ZCMD29L2
	ZCT25N12
	ZCD35
操作头运动	旋转
操作头类型	不含操作杆 弹簧复位 金属
方法类型	侧面运动, 2方向

补充信息

强制打开	有
------	---

环境

运行温度	-25...70 °C
贮存环境温度	-40...70 °C
环境特征	标准环境

包装单位

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.524 cm
Package 1 Width	6.985 cm
Package 1 Length	16.51 cm
Package 1 Weight	39.92 g
Unit Type of Package 2	BAG
Number of Units in Package 2	10
Package 2 Height	15 cm
Package 2 Width	5 cm
Package 2 Length	10 cm
Package 2 Weight	410.5 g
Unit Type of Package 3	P06
Number of Units in Package 3	3840
Package 3 Height	80 cm
Package 3 Width	80 cm
Package 3 Length	60 cm
Package 3 Weight	169.3 kg

可持续性

产品类型	Green Premium 产品
无有毒重金属	是
流通资料	无需具体的回收操作
有关Reach Rohs的所有查询，请通过以下方式联系我们：	sustainability@tesensors.com

合同保修

保修单	18 months
-----	-----------