



主要信息

产品系列	Telemecanique Limit switches XC Standard
系列号	标准型
产品类型	限位开关头部
产品短名	ZCE
操纵头类型	直动式头部
产品适用范围	XCKD XCKP XCKT XCMD

关联本体	ZCMD41L1
	ZCMD29L2
	ZCD29M12
	ZCP26
	ZCP29
	ZCMD41L5
	ZCMD39L2
	ZCT27P16
	ZCMD69C12
	ZCMD25L1
	ZCMD61C12
	ZCP31
	ZCMD37L5
	ZCMD81L2
	ZCT25P16
	ZCD25
	ZCT26P16
	ZCMD21L08R12
	ZCT25N12
	ZCT26N12
	ZCD21
	ZCT21P16
	ZCMD81L5
	ZCD37
	ZCT25G11
	ZCP39
	ZCMD29C12
	ZCT28P16
	ZCP21M12
	ZCT26G11
	ZCD27
	ZCMD25L5
	ZCP21
	ZCP37
	ZCD28
	ZCMD21L2
	ZCMD21L08U78
	ZCT21G11
	ZCP25
	ZCT21N12
	ZCMD37L1
	ZCD39
	ZCMD61M12
	ZCT28N12
	ZCMD25L2
	ZCD29
	ZCD35
	ZCMD81L1
	ZCT28G11
	ZCMD21C12
	ZCMD29L5
	ZCMD21L1
	ZCMD21M12
	ZCMD39L5
	ZCP35
	ZCMD37L2
	ZCD21M12
	ZCT27G11
	ZCMD21L5
	ZCP27
	ZCP28
	ZCMD39L1
	ZCD26
	ZCT27N12
	ZCMD41L2
	ZCD31
	ZCMD29L1
	ZCP29M12
操作头运动	线性
操作头类型	滚轮直动式 弹簧复位 金属
方法类型	侧面运动, 2方向

补充信息

开关触发	30° 凸沿
强制打开	有

环境

运行温度	-25...70 °C
贮存环境温度	-40...70 °C
环境特征	标准环境

包装单位

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.594 cm
Package 1 Width	1.579 cm
Package 1 Length	2.945 cm
Package 1 Weight	10 g
Unit Type of Package 2	BB2
Number of Units in Package 2	10
Package 2 Height	42 cm
Package 2 Width	56 cm
Package 2 Length	88 cm
Package 2 Weight	162 g
Unit Type of Package 3	P06
Number of Units in Package 3	3200
Package 3 Height	75 cm
Package 3 Width	40 cm
Package 3 Length	80 cm
Package 3 Weight	75 kg

可持续性

产品类型	Green Premium 产品
流通资料	无需具体的回收操作
有关Reach Rohs的所有查询，请通过以下方式联系我们：	sustainability@tesensors.com

合同保修

保修单	18 months
-----	-----------