



## 主要信息

产品系列	Telemecanique Limit switches XC Standard
系列号	标准型
产品类型	限位开关头部
产品短名	ZCE
操纵头类型	直动式头部
产品适用范围	XCKD XCKP XCMD XCKT

关联本体	ZCMD39L1 ZCT21N12 ZCD27 ZCMD21L5 ZCD35 ZCMD21C12 ZCD31 ZCT21G11 ZCMD25L5 ZCMD41L2 ZCP27 ZCMD29L1 ZCD26 ZCMD21L08U78 ZCP35 ZCT27P16 ZCMD29L5 ZCP28 ZCD25 ZCD21 ZCP37 ZCMD21L08R12 ZCMD81L1 ZCMD25L1 ZCT25G11 ZCT28G11 ZCMD29C12 ZCT26N12 ZCT27G11 ZCMD41L5 ZCMD21M12 ZCD37 ZCP29M12 ZCMD21L2 ZCT21P16 ZCD29M12 ZCMD37L2 ZCT26G11 ZCP29 ZCT28N12 ZCD28 ZCMD29L2 ZCMD21L1 ZCMD25L2 ZCMD81L2 ZCT25N12 ZCP21M12 ZCP21 ZCMD39L2 ZCMD61M12 ZCMD61C12 ZCMD81L5 ZCD39 ZCT28P16 ZCD29 ZCP39 ZCP25 ZCD21M12 ZCT27N12 ZCMD37L5 ZCT25P16 ZCP31 ZCMD37L1 ZCP26 ZCT26P16 ZCMD39L5 ZCMD41L1 ZCMD69C12
操作头运动	线性
操作头类型	滚轮水平推杆 弹簧复位 热塑性塑料
方法类型	侧面运动, 单向

## 补充信息

开关触发	30° 凸沿
强制打开	有

## 环境

运行温度	-25...70 °C
贮存环境温度	-40...70 °C
环境特征	标准环境

## 包装单位

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.61 cm
Package 1 Width	2.266 cm
Package 1 Length	3.723 cm
Package 1 Weight	20 g
Unit Type of Package 2	BB2
Number of Units in Package 2	10
Package 2 Height	34 cm
Package 2 Width	188 cm
Package 2 Length	229 cm
Package 2 Weight	230 g
Unit Type of Package 3	P06
Number of Units in Package 3	2560
Package 3 Height	75 cm
Package 3 Width	40 cm
Package 3 Length	80 cm
Package 3 Weight	81 kg

## 可持续性

产品类型	Green Premium 产品
流通资料	无需具体的回收操作
有关Reach Rohs的所有查询，请通过以下方式联系我们：	<a href="mailto:sustainability@tesensors.com">sustainability@tesensors.com</a>

## 合同保修

保修单	18 months
-----	-----------