



主要信息

产品系列	Telemecanique Limit switches XC Standard
系列号	标准型
产品类型	限位开关头部
产品短名	ZCE
操纵头类型	直动式头部
产品适用范围	XCMD XCKT XCKP XCKD

关联本体	ZCMD21C12 ZCMD21L08U78 ZCMD25L5 ZCT21G11 ZCMD41L1 ZCT27P16 ZCD29M12 ZCD21 ZCP37 ZCMD41L2 ZCD25 ZCMD21L5 ZCMD39L1 ZCP27 ZCP35 ZCP28 ZCT28G11 ZCT26N12 ZCD39 ZCT25G11 ZCMD39L5 ZCT21P16 ZCP25 ZCMD81L1 ZCD31 ZCT28P16 ZCMD81L5 ZCMD69C12 ZCT27N12 ZCD21M12 ZCT25N12 ZCD26 ZCP21M12 ZCP39 ZCMD25L1 ZCT25P16 ZCT21N12 ZCP29 ZCMD37L2 ZCMD61C12 ZCD28 ZCD37 ZCT26G11 ZCP21 ZCMD81L2 ZCMD37L1 ZCMD25L2 ZCP29M12 ZCMD29L1 ZCMD37L5 ZCMD41L5 ZCMD21M12 ZCT28N12 ZCT26P16 ZCMD21L08R12 ZCMD21L1 ZCP26 ZCD27 ZCMD29L2 ZCT27G11 ZCMD39L2 ZCMD61M12 ZCP31 ZCD35 ZCMD21L2 ZCMD29C12 ZCMD29L5 ZCD29
操作头运动	线性
操作头类型	滚轮水平推杆 弹簧复位 热塑性塑料
方法类型	侧面或垂直运动, 单向

补充信息

开关触发	30° 凸沿
强制打开	有

环境

运行温度	-25...70 °C
贮存环境温度	-40...70 °C
环境特征	标准环境

包装单位

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.6 cm
Package 1 Width	5.0 cm
Package 1 Length	3.0 cm
Package 1 Weight	26.0 g
Unit Type of Package 2	BAG
Number of Units in Package 2	10
Package 2 Height	3 cm
Package 2 Width	13 cm
Package 2 Length	28 cm
Package 2 Weight	265 g
Unit Type of Package 3	S01
Number of Units in Package 3	80
Package 3 Height	15 cm
Package 3 Width	15 cm
Package 3 Length	40 cm
Package 3 Weight	2.46 kg

可持续性

产品类型	Green Premium 产品
流通资料	无需具体的回收操作
有关Reach Rohs的所有查询，请通过以下方式联系我们：	sustainability@tesensors.com

合同保修

保修单	18 months
-----	-----------