



主要信息

产品系列	Telemecanique Limit switches XC Standard
系列号	标准型
产品类型	限位开关头部
产品短名	ZCKD
操纵头类型	直动式头部
产品适用范围	XCKS XCKM XCKL

关联本体	ZCKM1
	ZCKS8H29
	ZCKMD37H29
	ZCKM6H29
	ZCKL1H7
	ZCKLD37H7
	ZCKMD39
	ZCKS6
	ZCKMD35H7
	ZCKLD35
	ZCKS1
	ZCKSD35H29
	ZCKM5
	ZCKS2H29
	ZCKL6
	ZCKL5
	ZCKM7H29
	ZCKS1H29
	ZCKLD31H7
	ZCKM6
	ZCKM9
	ZCKSD37H29
	ZCKL6H7
	ZCKLD39H7
	ZCKMD31H29
	ZCKS5H29
	ZCKS9H29
	ZCKSD39
	ZCKM1H7
	ZCKMD35H29
	ZCKL8H7
	ZCKM8H29
	ZCKL1
	ZCKL7H7
	ZCKM7H7
	ZCKL5H7
	ZCKSD39H29
	ZCKM8
	ZCKM5H29
	ZCKLD37
	ZCKSD35
	ZCKM6H7
	ZCKM7
	ZCKM5H7
	ZCKL7
	ZCKS7
	ZCKS7H29
	ZCKMD39H7
	ZCKMD37H7
	ZCKLD31
	ZCKSD37
	ZCKMD39H29
	ZCKS5
	ZCKM1H29
	ZCKMD35
	ZCKS8
	ZCKLD35H7
	ZCKS6H29
	ZCKM9H29
	ZCKLD39
	ZCKL8
	ZCKMD37
	ZCKMD31
	ZCKM8H7
	ZCKS2
	ZCKSD31H29
	ZCKMD31H7
	ZCKSD31
	ZCKS9
操作头运动	线性
操作头类型	滚轮直动式 弹簧复位 金属
方法类型	侧面运动, 2方向

补充信息

开关触发	30° 凸沿
强制打开	有
头部材料	塑料

环境

运行温度	-25...70 °C
贮存环境温度	-40...70 °C
环境特征	标准环境

包装单位

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.300 cm
Package 1 Width	6.400 cm
Package 1 Length	7.800 cm
Package 1 Weight	44.000 g
Unit Type of Package 2	S01
Number of Units in Package 2	28
Package 2 Height	15.000 cm
Package 2 Width	15.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	1.626 kg
Unit Type of Package 3	P06
Number of Units in Package 3	896
Package 3 Height	75.000 cm
Package 3 Width	60.000 cm
Package 3 Length	80.000 cm
Package 3 Weight	55.124 kg

可持续性

产品类型	Green Premium 产品
流通资料	无需具体的回收操作
有关Reach Rohs的所有查询，请通过以下方式联系我们：	sustainability@tesensors.com

合同保修

保修单	18 months
-----	-----------